






DESCRIPTION	AT 1ST INSERTION	AT 10TH WITHDRAWAL
PUSH LOAD MAX.	N A	
PULL LOAD MIN.		N A
MAX. MV. DROP	N A	
MAX. MV. DROP		N A

DIMENSION CLASSIFICATION	
SYMBOL	DESCRIPTION
▲	CRITICAL



CONTROLLED COPY
TTPL

CAT. NO.	L	C1	C2	C3	I1	I2	I3	C	S	D	H1	P	ød1	W
TOLERANCE	+0.3 -0.3	+0.2 -0.2	+0.3 -0.3	+0.1 -0.1	+0.2 -0.2	+0.3 -0.3	+0.1 -0.1	+0.1 -0.1	+0.02 -0.02	+0.3 -0.3	+0.2 -0.2	+0.05 -0.05	+0.1 -0.1	+0.1 -0.1
TT-1834	13.4	4.40	4.50	3.80	6.40	6.00	2.80	0.20	0.08	0.60	17.5	16.0	2.00	3.00

NOTES:-

MATERIAL	70/30 BRASS
FINISH	NATURAL
THICKNESS	0.35 ± 0.02
HARDNESS IN VHN	130 - 160

TT-1834

TERMINAL PITCH 16.00 ^{+0.05}/_{-0.05}

PLATING THICKNESS:- 1.50 MICRON MIN. IN CASE OF PLATING

01	No. of Serrations	3	4	05/03/05	AM	VENU	134 A
REV. NO.	AL. NO.	WAS	CHANGED TO	DATE	NAME	CHD. BY.	ECN NO.
GEN. TOL.	CAT NO.	TAB SIZE	CABLE SIZE	ALL DIMENSIONS ARE IN MM			
0-10 ± 0.10	TT-1834		1.0 - 3.0mm ²				
10-30 ± 0.20	DRN BY VENU	CHECKED BY SANTOSH	APPROVED BY DATE SUJESH	FILENAME TT-1834	DATE 24/08/00.	SCALE 3:1	
30-100 ± 0.30	TT			JOINT TERMINAL			
100-300 ± 0.50	TERMINAL TECHNOLOGIES (I) PVT. LTD.			DRAWING_NUMBER	D/TT/124.R01	SHEET 1 OF 1	

ISSUE NO-1/17-10-02