

DESCRIPTION	AT 1ST INSERTION	AT 10TH WITHDRAWAL
PUSH LOAD MAX.	N A	
PULL LOAD MIN.		N A
MAX. MV. DROP AT 10A	N A	
MAX. MV. DROP AT 10A		N A

DIMENSION CLASSIFICATION	
SYMBOL	DESCRIPTION
▲	CRITICAL

CAT. NO.	L	L2	E	W	W1	W2	W3	E1	H	H1	T1	G	C	T	W4
TOLERANCE	+0.3 -0.3	+0.2 -0.2	+0.1 -0.1	+0.1 -0.1	+0.1 -0.1	+0.1 -0.1	+0.1 -0.1	+0.1 -0.1	+0.1 -0.1	+0.1 -0.1	+0.2 -0.1	+0.1 -0.1	+0.1 -0.1	+0.2 -0.2	+0.2 -0.2
TT- 2826	28.6	4.30	12.2	0.80	3.00	4.90	6.00	8.80	1.80	3.00	0.75	1.00	3.30	0.40	5.20


NOTES:-

MATERIAL	P B
FINISH	NATURAL
THICKNESS	0.40 <sup>+0.05</sup> <sub>-0.02</sub>
HARDNESS IN VPN	115-135

TT-2826

UNSPECIFIED RADIUS IS 0.3  
UNSPECIFIED CHAMFER IS 0.5  
<sup>+0.05</sup>  
TERMINAL PITCH 11.50<sub>-0.05</sub>

PLATING THICKNESS:- 1.50 MICRON MIN.IN CASE OF PLATING



**CONTROLLED COPY**  
**TTPL**

03	HARDNESS CHANGED	130-160	115-135	24-06-07	VENU	PATIL	198
02	L,E,W2,W3,E1,H,T,	L(28.2+/-0.3),E(12.0+/-0.1), W2(4.8+/-0.1),W3(5.8+/-0.1), E1(8.6+/-0.1),H(1.5+/-0.1), T1(0.40+/-0.02)	L(28.6+/-0.3),E(12.2+/-0.1), W2(4.9+/-0.1),W3(6.0+/-0.1), E1(8.8+/-0.1),H(1.8+/-0.1), T1(0.75+/-0.02) AND 'T' & 'W4' IS ADDED.	17-05-07	VENU	SAMPADA	194
01		TT-2936	TT-2826	27-8-03	BN	SVN	34
REV.NO.	AL. NO.	WAS		CHANGED TO	DATE	NAME	CHD.BY. ECN NO.
GEN TOL	CAT NO	TAB SIZE	CABLE SIZE	ALL DIMENSIONS ARE IN MM			
0-10 ±0.10	TT-2826	-----	-----				
10-30 ±0.20	DRN. BY	CHECKED BY	APPROVED BY DATE	FILENAME	DATE	SCALE	
	VENU	SANTOSH	SUJESH	Tt-2826	25-02-03	3:1	
30-100 ±0.30				BULB TERMINAL			
100-300 ±0.50				TERMINAL TECHNOLOGIES (I) PVT. LTD.	DRAWING_NUMBER	D/TT/183,R03	SHEET 1 OF 1